



CITY OF
BAINBRIDGE ISLAND

ENVIRONMENTAL TECHNICAL ADVISORY COMMITTEE
REGULAR MEETING
THURSDAY, MARCH 15, 2018
3:00 PM – 5:00 PM
COUNCIL CONFERENCE ROOM
280 MADISON AVENUE NORTH
BAINBRIDGE ISLAND, WA 98110

MINUTES

**I. CALL TO ORDER / ROLL CALL / ACCEPT OR MODIFY AGENDA /
CONFLICT OF INTEREST DISCLOSURE
3:04 PM**

Chair: Frank Gremse

Members: Jason Flowers Charlie Kratzer (call in)
Dylan Frazer Karl Shearer

Council Liaison: Rashman Nassar

Public: Greg Geehan Doug Hastings
Arnold Stern Cami Apfelbeck
Melanie Keenan Malcolm Gander

2. APPROVAL OF MINUTES – March 15, 2018

3. COUNCIL LIAISON REPORT – Rashman Nassar

4. DISCUSSION OF GROUND WATER MANAGEMENT PLAN ANALYSIS –

Status of the bedrock aquifer which extends from “Toe-Jam” fault to the south end of the island was discussed. The five aquifers which exist north of the fault are not present in this area of the island. This is a geologically complex area in which mapping and modeling of units and predicting performance are not practical and come with large uncertainties. Available water is held in highly-fractured, discontinuous voids which are unlikely to support significant production. Fortunately, there are a few wells drilled in this area.

5. PUBLIC COMMENTS –

- a. It is important to look at the water quality of the aquifers and the potential for contamination from hazardous spills. Information about spills on the island is available from DOE.
- b. It is important to ensure that the effects of contaminated soils are excluded from the aquifers.
- c. Infiltration of rainfall to the bedrock aquifer is similar to that of the perched aquifer.

**6. ADJOURNMENT
4:30 PM**



Frank Gremse, Chair 04/20/18